

Environmental Protection Agency

§761.211

of the shipping paper described in §761.208(b)(5)(ii) for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(3) For shipments of PCB waste by rail within the United States:

(i) The initial rail transporter shall keep a copy of the manifest and the shipping paper required to accompany the PCB waste for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(ii) The final rail transporter shall keep a copy of the signed manifest, or the required shipping paper if signed by the designated facility in lieu of the manifest, for a period of at least 3 years from the date the PCB waste was accepted by the initial transporter.

(c) The owner or operator of a PCB commercial storage or disposal facility that receives off-site shipments of PCB waste shall retain at the facility for at least 3 years a copy of each manifest or shipping paper that the owner or operator signs in accordance with §761.208(c)(1) or (c)(3).

(d) The periods of record retention required by this section shall be extended automatically during the course of any outstanding enforcement action regarding the regulated activity.

[54 FR 52752, Dec. 21, 1989, as amended at 58 FR 34205, June 23, 1993]

§761.210 Manifest discrepancies.

(a) Manifest discrepancies are differences between the quantity or type of PCB waste designated on the manifest or shipping paper and the quantity or type of PCB waste actually delivered to and received by a designated facility.

(1) Significant discrepancies in quantity are:

(i) Variations greater than 10 percent in weight of PCB waste in containers.

(ii) Any variation in piece count, such as a discrepancy of one PCB Transformer or PCB Container or PCB Article Container in a truckload.

(2) Significant discrepancies in type of PCB waste are obvious differences which may be discovered by inspection or waste analysis, such as the substitution of solids for liquids or the substitution of high concentration PCBs (above 500 ppm) with lower concentration materials.

(b) Upon discovering a significant discrepancy, the owner or operator of the designated commercial storage or disposal facility shall attempt to reconcile the discrepancy with the waste generator or transporter. If the discrepancy is not resolved within 15 days after receiving the PCB waste, such owner or operator shall immediately submit to the Regional Administrator for the Region in which the designated facility is located a letter describing the discrepancy and attempts to reconcile it, and a copy of the manifest or shipping paper at issue.

[54 FR 52752, Dec. 21, 1989, as amended at 58 FR 34205, June 23, 1993]

§761.211 Unmanifested waste report.

(a) After April 4, 1990, if a PCB commercial storage or disposal facility receives any shipment of PCB waste from an off-site source without an accompanying manifest or shipping paper (where required in place of a manifest), and any part of the shipment consists of any PCB waste regulated for disposal, then the owner or operator of the commercial storage or disposal facility shall attempt to contact the generator, using information supplied by the transporter, to obtain a manifest or to return the PCB waste.

(b) If the owner or operator of the commercial storage or disposal facility cannot contact the generator of the PCB waste, he shall notify the Regional Administrator of the EPA region in which his facility is located of the unmanifested PCB waste so that the Regional Administrator can determine whether further actions are required before the owner or operator may store or dispose of the unmanifested PCB waste.

(c) Within 15 days after receiving the unmanifested PCB waste, the owner or operator shall prepare and submit a report to the Regional Administrator for the Region in which the commercial storage or disposal facility is located and to the Regional Administrator for the Region in which the PCB waste originated, if known. The report may be submitted on EPA Form 8700-13B, or by a written letter designated "Unmanifested Waste Report." The report shall include the following information:

§ 761.215

40 CFR Ch. I (7–1–12 Edition)

(1) The EPA identification number, name, and address of the PCB commercial storage or disposal facility.

(2) The date the commercial storage or disposal facility received the unmanifested PCB waste.

(3) The EPA identification number, name, and address of the generator and transporter, if available.

(4) A description of the type and quantity of the unmanifested PCB waste received at the facility.

(5) A brief explanation of why the waste was unmanifested, if known.

(6) The disposition made of the unmanifested waste by the commercial storage or disposal facility, including:

(i) If the waste was stored or disposed by that facility, was the generator identified and was a manifest subsequently supplied.

(ii) If the waste was sent back to the generator, why and when.

[54 FR 52752, Dec. 21, 1989, as amended at 58 FR 34205, June 23, 1993]

§ 761.215 Exception reporting.

(a) A generator of PCB waste, who does not receive a copy of the manifest with the handwritten signature of the owner or operator of the designated PCB commercial storage or disposal facility within 35 days of the date the waste was accepted by the initial transporter, shall immediately contact the transporter and/or the owner or operator of the designated facility to determine the status of the PCB waste.

(b) A generator of PCB waste subject to the manifesting requirements shall submit an Exception Report to the EPA Regional Administrator for the Region in which the generator is located if the generator has not received a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 45 days of the date the waste was accepted by the initial transporter. The exception report shall be submitted to EPA no later than 45 days from the date on which the generator should have received the manifest. The Exception Report shall include the following:

(1) A legible copy of the manifest for which the generator does not have confirmation of delivery.

(2) A cover letter signed by the generator or his authorized representative

explaining the efforts taken to locate the PCB waste and the results of those efforts.

(c) A disposer of PCB waste shall submit a One-year Exception Report to the EPA Regional Administrator for the Region in which the disposal facility is located no later than 45 days from the end of the 1-year storage for disposal date when the following occurs:

(1) The disposal facility receives PCBs or PCB Items on a date more than 9 months from the date the PCBs or PCB Items were removed from service for disposal, as indicated on the manifest or continuation sheet; and

(2) Because of contractual commitments or other factors affecting the facility's disposal capacity, the disposer of PCB waste could not dispose of the affected PCBs or PCB Items within 1 year of the date of removal from service for disposal.

(d) A generator or commercial storer of PCB waste who manifests PCBs or PCB Items to a disposer of PCB waste shall submit a One-year Exception Report to the EPA Regional Administrator for the Region in which the generator or commercial storer is located no later than 45 days from the date the following occurs:

(1) The generator or commercial storer transferred the PCBs or PCB Items to the disposer of PCB waste on a date within 9 months from the date of removal from service for disposal of the affected PCBs or PCB Items, as indicated on the manifest or continuation sheet; and

(2) The generator or commercial storer either has not received within 13 months from the date of removal from service for disposal a Certificate of Disposal confirming the disposal of the affected PCBs or PCB Items, or the generator or commercial storer receives a Certificate of Disposal confirming disposal of the affected PCBs or PCB Items on a date more than 1 year after the date of removal from service.

(e) The One-year Exception Report shall include:

(1) A legible copy of any manifest or other written communication relevant to the transfer and disposal of the affected PCBs or PCB Items.